
PURETEC WATER FILTER WINTER SPECIAL!





ORDER NOW WHILE STOCK LASTS.
THIS SPECIAL ENDS 31 AUG 2020.




- Designed for mains and town water supplies.
- · Valve-in-head means no mess, quick-twist hygenic cartridge change.
- Ultra Z Technology to finely filter down to 0.1 micron.
- · Provides pure, safe, filtered water, free of chlorine, bacteria and harmful cysts.
- · Sediment, dirt, rust and other particles filtered down to 0.1 micron including Giardia and Cryptosporidium cysts.
- · No need for a separate filter tap.



PLUS FREE EXTRA CARTRIDGE

USE PROMO CODE: WS20





Z1-BL2

Quick-twist Undersink Filter with Tripla™ Black BL2 Mixer Tap

- · Quick & easy installation.
- · Valve-in-head filter means no mess, quick-twist, hygienic cartridge change.
- Uses advanced Ultra Z Filtration Technology to finely filter water down to 0.1 micron.
- Matt black finish.










DFU200 Matt Black



DFU240 Brushed Nickel



DFU210 Alpine White



DFU250 Brushed Bronze



DFU220 Polished Black



DFU260 Antique Rose Gold



DFU230 Chrome



DFU270 **Antique Brass**





DFU280 Polished Gold





THE EM2 SERIES FOR RAINWATER SEDIMENT REMOVAL.

The EM2 series filtration system is the appropriate choice for providing safe, clean, healthy water throughout the house or the office. The systems are designed specifically for rainwater and able to operate on gravity feed pressure.

Providing maximum filtration with minimal flow restriction these high flow systems, ensure that your home is free of sludge and sediment. The EM2-60 & EM2-100 models additionally reduce bad taste and odours.





IDEAL FOR MAINS TO RAINS SWITCH OVER SYSTEMS.

Neatly Concealed Control Panel

Monitors the lamp life, failure alarm (audible & visible) and total running days of the Radfire $^{\rm M}$ UV unit.



Trouble-Free Maintenance

Maintenance is simple and can be completed in minutes - without tools. It's as easy as replacing the UV lamp once a year and periodically cleaning the sleeve.

Weather Protection & Anti-Corrosion Construction

The Hybrid G Series incorporates a weather cover for outdoor installations. The durable lightweight mounting bracket is made from coated aluminium to ensure no rusting.

A Unique Water Chamber Design

Radfire's unique water chamber optimises hydraulic performance and increases disinfection efficiency. Designed by computer simulation and validated, the water chamber maximises exposure to the penetrating UV light. Chamber and hardware are stainless steel for dependable long life.



Ultraviolet Protection

Kills 99.9% of bacteria with Radfire™ ultraviolet technology, a natural purification process that's completely eco-friendly and chemical-free.





Coarse Sediment Filtration
A washable sediment filter that
removes coarse dirt, sand and

particulates down to 5 micron.

Taste and Odour Removal

Reduces taste, odour and chemicals.

Fine Sediment FiltrationRemoves fine sediments and particulate to 1 micron.

HYBRID-G13

Triple Filtration and Ultraviolet All-in-One Unit with Weather Cover

Incorporates an additional filtration stage for extra contaminant removal and capacity. Highly effective and efficient at removing dirt, rust, sediment, bad taste and odour in your water, providing good general purpose filtration.



HYBRID SYSTEM INCLUDES: FILTER CARTRIDGES,

FREE FILTER CLEANER, FREE 2 LITRE TANKSAFE AND FREE BEANIE

USE PROMO CODE: WS20



SPARQ-H2 INSTANT FILTERED HOT WATER.







Safe to use with hot water safety lock.



Instant hot filtered water.



Ambient filtered water.



Enjoy quicker cooking & better tasting hot beverages.



Quick & easy installation.



Adjustable temperature 60 - 98 °c (temp in tank).



Save time with instant hot water.



Compact under sink system.

SPARQ-H2

Instant Hot and Ambient Filtered Water Appliance

- Ultra Z Filtration Technology filters out chlorine, sediment, chemicals, taste & odour, bacteria and cysts down to 0.1 of a micron.
- \bullet The SPARQ H2 can deliver up to 60 cups of steaming hot water an hour.
- The insulated hot water tank and Vapour Recovery Technology reduces heating time and conserves energy and water.
- \bullet Adjustable water temperature from 60° to 98° C*.
- 2 year warranty.^

\$847 SAVE \$150

SPARQ-H2 SYSTEM INCLUDES: FILTER CARTRIDGE

USE PROMO CODE: WS20



REDUCES BLOCKAGES, IRON DEPOSITS AND RESTORES FLOW TO BORES.

BORESAFE™

Puretec BoreSafe^m is a safe, easy to apply biodegradable chemical designed specifically to break down the iron build-up in the bore itself, the bore pump and pipework. BoreSafe^m eliminates the rusty slime, unpleasant odours, orange brown staining and other deposits. BoreSafe^m breaks down the iron so that the water can flow freely again and it reduces the strain that blockages can put on your pump.



BE5000BoreSafe™ Granules 5kg



BE10000BoreSafe™ Granules 10kg



BE20000Boresafe™ Granules 10kg

BORESAFE™ ECO

Puretec BoreSafe™ Eco is a non-corrosive, non-hazardous, biodegradable liquid chemical designed specifically to break down the iron build-up in the bore itself, the bore pump and pipework.

Boresafe $^{\text{m}}$ Eco is the ideal choice for those seeking to minimise hazardous chemical use around their home or workplace. The liquid formula is ready-to-use with no mixing required.



BE5000-EBoreSafe™ Eco Liquid 5L



BE20000-EBoreSafe™ Eco Liquid 20L



IT'S TIME TO CLEAN OUT YOUR RAINWATER SYSTEM!

MONITORING AND MAINTENANCE OF RAINWATER SYSTEMS.



Trimming Trees / Removing Vegetation

Cut back trees to remove dropping or dying leaves, and trim away branches that could be potential roosting points for birds or provide access for small animals and unwanted visitors.



Prevent Debris In Your Tank

Use leaf & rubbish diverters to protect inlets to rainwater tanks. Keep foliage and debris clear from your pipes to avoid clogging, blockages, rotting leaves and tannin leaching.



Keeping Gutters Clean

Debris, leaves, moss and lichen should be kept clear from gutters. Gutter mesh is a simple way to avoid this and can be installed to keep vegetation and pests out.



Keep Vermin and Pests Away

Take precautions to deter small animals and birds away from entering the tank. This will help avoid direct contamination from faeces or the animal itself, and keep in mind sometimes animals or vermin can become trapped and drown in tanks.



Clean Regularly

Examine tanks for accumulated sludge on the floor of the tank at least every 2 years. Sludge can be removed by completely emptying and rinsing the tank or via siphoning.



Filter System Maintenance

Once your filter is full of contaminants water will struggle to get through and what does may not be filtered effectively. If you are using an ultraviolet system, the lamp also needs to be replaced every 12 months to quarantee effectiveness.

YOUR LOCAL PURETEC MASTER DEALER:

Find Your Nearest Dealer Click here

Special applies to products as shown in this catalogue. Not valid with any other offer. Expires 31st August 2020. Available 1st July - 31st August 2020. Prices shown are Puretec's promotional recommended retail price only with no obligation dealers to comply with. E&OE.



AUSTRALIA Info: 1300 140 140 Web: www.puretec.com.au NEW ZEALAND Info: 0800 130 140 Web: www.puretec.co.nz